

Introduction to Bayesian Methods in Clinical Research

Emmanuel Lesaffre

Interuniversity Institute for Biostatistics and statistical Bioinformatics

KU Leuven & University Hasselt

`emmanuel.lesaffre@kuleuven.be`

Rotterdam — 15 to 19 August 2016

Contents

| | | |
|----------|--|-----------|
| 0.1 | Time schedule of the course | 1 |
| 0.2 | Aims of the course | 2 |
| 0.3 | Preface | 3 |
| I | Background in the Bayesian approach | 10 |
| 1 | Statistical inference | 11 |
| 1.1 | The frequentist approach: a critical reflection | 12 |
| 1.1.1 | The classical statistical approach | 13 |
| 1.1.2 | The P -value as a measure of evidence | 16 |
| 1.1.3 | The confidence interval as a measure of evidence | 24 |

| | | |
|----------|--|-----------|
| 1.2 | Exploring the likelihood function | 26 |
| 1.3 | The Bayesian approach: some basic ideas | 34 |
| 1.3.1 | Introduction | 35 |
| 1.3.2 | Bayes theorem – Discrete version for simple events | 39 |
| 1.4 | Outlook | 45 |
| 2 | Bayes theorem: computing the posterior distribution | 53 |
| 2.1 | Introduction | 54 |
| 2.2 | Bayes theorem – The binary version | 55 |
| 2.3 | Probability in a Bayesian context | 57 |
| 2.4 | Bayes theorem – The categorical version | 60 |
| 2.5 | Bayes theorem – The continuous version | 61 |
| 2.6 | The binomial case | 63 |
| 2.7 | The Gaussian case | 82 |
| 2.8 | The Poisson case | 95 |
| 2.9 | Criticism on the Bayesian approach | 105 |

| | | |
|----------|---|------------|
| 2.10 | An historical note on the Bayesian approach | 106 |
| 3 | Introduction to Bayesian inference | 113 |
| 3.1 | Introduction | 114 |
| 3.2 | Summarizing the posterior with probabilities | 115 |
| 3.3 | Posterior summary measures | 116 |
| 3.3.1 | Posterior mode, mean, median, variance and SD | 117 |
| 3.3.2 | Credible/credibility interval | 121 |
| 3.4 | Predictive distributions | 126 |
| 3.4.1 | Introduction | 127 |
| 3.4.2 | Posterior predictive distribution: General case | 134 |
| 3.5 | Exchangeability | 141 |
| 3.6 | A normal approximation to the posterior | 142 |
| 3.7 | Numerical techniques to determine the posterior | 143 |
| 3.7.1 | Numerical integration | 144 |
| 3.7.2 | Sampling from the posterior distribution | 146 |

| | | |
|----------|---|------------|
| 3.7.3 | Choice of posterior summary measures | 154 |
| 3.8 | Bayesian hypothesis testing | 155 |
| 4 | More than one parameter | 160 |
| 4.1 | Introduction | 161 |
| 4.2 | Joint versus marginal posterior inference | 163 |
| 4.3 | The normal distribution with μ and σ^2 unknown | 176 |
| 4.3.1 | No prior knowledge on μ and σ^2 is available | 177 |
| 4.3.2 | An historical study is available | 184 |
| 4.3.3 | Expert knowledge is available | 188 |
| 4.4 | Multivariate distributions | 190 |
| 4.5 | Frequentist properties of Bayesian inference | 191 |
| 4.6 | The Method of Composition | 192 |
| 4.7 | Bayesian linear regression models | 195 |
| 4.7.1 | The frequentist approach to linear regression | 196 |
| 4.7.2 | A noninformative Bayesian linear regression model | 199 |

| | | |
|----------|---|------------|
| 4.8 | Bayesian generalized linear models | 203 |
| 4.9 | More complex regression models | 204 |
| 5 | Choosing the prior distribution | 206 |
| 5.1 | Introduction | 207 |
| 5.2 | The sequential use of Bayes theorem | 208 |
| 5.3 | Conjugate prior distributions | 209 |
| 5.3.1 | Conjugate priors for univariate data distributions | 210 |
| 5.3.2 | Conjugate prior for normal distribution – mean and variance unknown | 215 |
| 5.3.3 | Multivariate data distributions | 216 |
| 5.3.4 | Conditional conjugate and semi-conjugate priors | 218 |
| 5.3.5 | Hyperpriors | 219 |
| 5.4 | Noninformative prior distributions | 221 |
| 5.4.1 | Introduction | 222 |
| 5.4.2 | General principles to choose noninformative priors | 225 |
| 5.4.3 | Improper prior distributions | 226 |

| | | |
|----------|--|------------|
| 5.4.4 | Weak/vague priors | 227 |
| 5.5 | Informative prior distributions | 229 |
| 6 | Markov chain Monte Carlo sampling | 236 |
| 6.1 | Introduction | 237 |
| 6.2 | The Gibbs sampler | 238 |
| 6.2.1 | The bivariate Gibbs sampler | 239 |
| 6.2.2 | The general Gibbs sampler | 248 |
| 6.2.3 | Remarks* | 256 |
| 6.2.4 | Review of Gibbs sampling approaches | 257 |
| 7 | Assessing and improving convergence of the Markov chain | 260 |
| 7.1 | Introduction | 261 |
| 7.2 | Assessing convergence of a Markov chain | 262 |
| 7.2.1 | Definition of convergence for a Markov chain | 263 |
| 7.2.2 | Checking convergence of the Markov chain | 265 |
| 7.2.3 | Graphical approaches to assess convergence | 266 |

| | | |
|-----------|---|------------|
| 7.2.4 | Formal approaches to assess convergence | 274 |
| 7.2.5 | Computing the Monte Carlo standard error | 285 |
| 7.2.6 | Practical experience with the formal diagnostic procedures | 287 |
| 7.3 | Accelerating convergence | 289 |
| 7.4 | Practical guidelines for assessing and accelerating convergence | 293 |
| 8 | Software | 295 |
| 8.1 | WinBUGS and related software | 298 |
| 9 | Hierarchical models | 300 |
| 9.1 | Gaussian hierarchical models | 302 |
| 9.1.1 | Introduction | 303 |
| 9.1.2 | The Gaussian hierarchical model | 304 |
| 9.1.3 | Estimating the parameters | 305 |
| 10 | Model building and assessment | 312 |
| 10.1 | Introduction | 313 |
| 10.2 | Measures for model selection | 314 |

| | | |
|-----------|---|------------|
| 10.2.1 | Information theoretic measures for model selection (Section 10.3.4 in book) | 315 |
| 10.3 | Model checking procedures | 320 |
| 10.3.1 | Introduction | 321 |
| II | Selected topics | 324 |
| 11 | Diagnostic tests | 325 |
| 11.1 | Introduction | 326 |
| 11.2 | Estimating the predictive value of a diagnostic test | 327 |
| 11.2.1 | Bayesian solution – first analysis | 328 |
| 11.2.2 | Bayesian solution – second analysis | 330 |
| 11.2.3 | Bayesian solution – third analysis | 334 |
| 11.3 | Estimating the prevalence of a disease | 336 |
| 11.3.1 | Example cysticercosis study | 338 |
| 11.4 | Determining the prevalence from two diagnostic tests | 343 |
| 11.4.1 | The approach of Hui and Walter (1980) | 344 |

| | | |
|-----------|---|------------|
| 11.4.2 | Two tuberculosis tests | 346 |
| 11.5 | General remarks | 350 |
| 12 | Clinical trials | 353 |
| 12.1 | Introduction | 354 |
| 12.2 | Calculating the sample size of a RCT | 355 |
| 12.3 | Interim analyses in phase II and phase III trials | 358 |
| 12.3.1 | Use of subjective priors to monitor the trial | 360 |
| 12.3.2 | Examples from the literature | 366 |
| 12.4 | Choice priors for clinical trials | 375 |
| 12.5 | Use of historical controls in clinical trials | 376 |
| 12.5.1 | The power prior | 378 |
| 12.5.2 | The meta-analytic prior | 379 |
| 12.5.3 | Example from the literature | 389 |
| 12.6 | General remarks | 391 |
| 13 | Meta analyses | 394 |

| | | |
|-----------|---|------------|
| 13.1 | Introduction | 395 |
| 13.2 | A classical meta-analysis | 397 |
| 13.3 | Bayesian fixed and random effects meta-analyses | 404 |
| 13.4 | Correction for baseline risk | 420 |
| 13.5 | Meta-analysis of diagnostic tests | 425 |
| 13.6 | General remarks | 433 |
| 14 | Epidemiology | 435 |
| 14.1 | Introduction | 436 |
| 14.2 | Correction for misclassification of the response in a logistic regression model | 437 |
| 14.3 | Spatial modeling | 456 |
| 14.3.1 | Introduction | 457 |
| 14.3.2 | A simple spatial model | 458 |
| 14.3.3 | Model specification | 462 |
| 14.3.4 | Posterior distributions | 468 |
| 14.3.5 | Posterior predictive distributions | 474 |

| | | |
|-----------|---|------------|
| 14.4 | An infectious disease model | 476 |
| 14.4.1 | Model specification | 477 |
| 14.5 | General remarks | 487 |
| 15 | Longitudinal studies | 490 |
| 15.1 | Introduction | 491 |
| 15.2 | The linear mixed model | 492 |
| 15.3 | The Bayesian generalized linear mixed model (BGLMM) | 510 |
| 15.4 | General remarks | 515 |
| 16 | Survival analysis | 517 |
| 16.1 | Introduction | 518 |
| 16.2 | Parametric survival models | 521 |
| 16.2.1 | Notation | 522 |
| 16.2.2 | Parametric survival modeling | 524 |
| 16.3 | General remarks | 541 |

